Rev	Date	Sign/Appr	Description
1	080508	N.A/K.N	Text changed and added. Table added.

TYPE 52-18SS-A

Symbol

Parts list, zinc plated: 4-9034-A
Parts list, stainless: 4-9035-A

Sliding pin and bumpers
One, two or three bumpers



Final bumping gap will be set at installation



TYPE 52-18SS-B

Symbol

Parts list, zinc plated: 4-9034-B
Parts list, stainless: 4-9035-B

Free sliding pin





TYPE 52-18SS-C

Symbol

Parts list, zinc plated: 4-9034-C
Parts list, stainless: 4-9035-C

Fixed pin





(TYPE 52-18SS-A)

Sections and additional details to the left







RELATED DRAWINGS:

4-9125 CAD-file drawing with SB4/SB5-100 kN
4-9086 Assembly / cad-file for lift off protection
4-9129 Orientation drawing
4-9130 Installation examples
4-9131 Application guidelines

MODULE TYPE	MAX FORCE F	MAX SIDE FORCE	MAX LIFT OFF FORCE	MAX JACKING FORCE
52-18SS-A	200% of E max	100% of E max	80 kN	200 kN
52-18SS-B	200% of E max	n. a.	80 kN	200 kN
52-18SS-C	200% of E max	100% of E max	80 kN	200 kN

Qty / Group	Item	Description	Material/Drg No	Remarks
D C B A				

Designed N.A Drawn N.A Checked K.N Date 07-03-26 Scale 1:2.5

WEIGH MODULE TYPE 52-18SS (SLIDING SYSTEM)
WITH SB4/SB5-100 kN
ASSEMBLY / OUTLINE DRAWING

Tolerances, unless otherwise specified, acc. to ISO 2768 medium. Hole tol. acc. to ISO tol. H12.

FLINTEC

Drawing No. 2-9036 Sheet of

Rev. No. 1

This document must not be copied without our written permission, and the contents thereof must not be imparted to a third party nor be used for any unauthorized purpose. Contravention will be prosecuted.